

The Chemical Class Approach towards Healthier Products and People

Arlene Blum PhD
Founder, Green Science Policy Institute
Research Associate in Chemistry, UC Berkeley
January 2018

U.S. Toxic Substances Control Act (1976)

- 62,000 previous chemicals "grandfathered"
- 23,000 new chemicals
 - 85% have no health data
 - 67% have no data at all




Regrettable Substitution

Decabromodiphenyl ether

Concerns:

- Persistence
- Bioaccumulation
- Toxicity



Decabromodiphenyl ethane

Concerns:

- Persistence
- Bioaccumulation
- Toxicity



Research

Retreats

Policy & Purchasing Change

Six Classes Videos

An innovative approach to reducing toxics



VIEW and SHARE: www.SixClasses.org
Healthier products, healthier people in four minutes!

Is it necessary?

Is it worth it?

Is there a safer alternative?

Classes I to 3

Periodic table of elements

hydrogen 1		-													-	Halo	gens	helium 2
H																		Не
1.0079 lithium 3	beryllium 4	4.										(T	boron 5	carbon 6	nitrogen 7	oxygen 8	fluorine 9	4.0026 neon 10
Li	Ве												В	Č	N	o	Ě	Ne
6,941	9.0122											J	10.811	12.011	14,007	15,999	18,998	20.180
sodium I	magnesium											Ţ	aluminium	silicon	phosphorus	sulfur	chlorine	argon
11	12											J	13	14	15	16	17	18
Na	Mg	.(Al	Si	Р	S	CI	Ar
22.990	24.305	1				4			-	4			26.982	28.086	30.974	32.065	35.453	39,948
potassium 19	calcium 20	A = A V	scandium 21	titanium 22	vanadium 23	chromium 24	manganese 25	1ron 26	cobalt 27	nickel 28	copper 29	zinc 30	gallium 31	germanium 32	arsenic 33	selenium 34	bromine 35	krypton 36
0.00	200	I = I I	100000	200	100	25.1	E 3%	1000	10.5870				17 to 15 from 11	1.00				
K	Ca	$A = \{ 1 \}$	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
39.098	40.078	. F	44.956	47.867	50.942	51.996	54.938	55,845	58.933	58.693	63,546	65.39	69.723	72.61	74.922	78.96	79,904	83.80
rubidium 37	strontium 38	A = V	yttrium 39	zirconium 40	niobium 41	molybdenum 42	technetium 43	ruthenium 44	rhodium 45	palladium 46	silver 47	cadmium 48	indlum 49	50	antimony 51	tellurium 52	53	xenon 54
The second second	1000		V			0.000	1 1000		1 1 2 2 2 2	The second second		100000000000000000000000000000000000000					45000	
Rb	Sr		Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te		Xe
85.468	87.62	/+ = il	88,906	91,224	92,906	95.94	[98]	101.07	102.91	106.42	107.87	112.41	114.82	118.71	121.76	127.60	126.90	131.29
caesium 55	barium 56	57-70	futetium 71	hafnium 72	tantalum 73	tungsten 74	rhenium 75	osmium 76	iridium 77	platinum 78	gold 79	mercury 80	thallium 81	1ead 82	bismuth 83	polonium 84	astatine 85	radon 86
1.00	14 2 2 2 2	Control of the contro	100	T- 1-40	100000		20		12.2	0.00		12.7	7.1	100	7.01		(2.12)	
Cs	Ba	*	Lu	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg		Pb	Bi	Po	At	Rn
132.91	137.33		174.97	178.49	180.95	183.84	186.21	190.23	192.22	195,08	196.97	200.59	204.38	207.2	208.98	[209]	[210]	[222]
francium 87	radium 88	89-102	lawrencium r 103	rutherfordium 104	dubnium 105	seaborgium 106	bohrium 107	hassium 108	meltnerium 109	ununnilium 110	unununium 111	ununbium 112	/ ·	ununguadium 114				
1 1 2 2 2 3 1 1 1	400	1000	2000		100			1.000					/ E /		1			
Fr	Ra	* *	Lr	Rf	Db	Sg	Bh	Hs	Mt	Uun	Uuu	Uub	<i>(</i>	Uuq	Λ			
[223]	[226]	([262]	[261]	[262]	[266]	[264]	[269]	[268]	[271]	[272]	[277]	/	[289]	1			

W	1	44-		2.2.	8.12
-	Lan	ına	nide	sei	ries

* * Actinide series

	lanthanum 57	cerium 58	praseodymium 59	neodymium 60	promethium 61	samarium 62	europium 63	gadolinium 64	terbium 65	dysprosium 66	holmium 67	erbium 68	thulium 69	ytterbium 70
	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Но	Er	Tm	Yb
Ц	138.91	140.12	140.91	144.24	[145]	150.36	151.96	157.25	158.93	162.50	164.93	167.26	168,93	173.04
	actinium 89	thorium 90	protactinium 91	uranium 92	neptunium 93	plutonium 94	americium 95	curium 96	berkelium 97	californium 98	einsteinium 99	fermium 100	mendelevium 101	nobelium 102
	Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No
П	[227]	232.04	231.04	238.03	[237]	[244]	[243]	[247]	[247]	12511	[252]	[257]	[258]	[259]

Cellular defense systems do not recognize organohalogens





Cellular bouncers (ABC transporters)

Cellular detoxification


Class 1: Highly Fluorinated Chemicals (PFAS)

Carbon-Fluorine bond strength:

- Leads to oil and water repellency
- Lasts for geologic time!



PFAS Exposure is a health concern



Detectable serum PFASs in US


Non-detect

Exposure linked to health risks:

Kidney and testicular cancer, elevated cholesterol, obesity, immune suppression, and endocrine disruption

(Ref: Lewis et al., 2015; Grandjean et al., 2012; Braun et al., 2016; Barry et al., 2013)

Published 2007



2017

Watershed

Tracy K. Smith

US Poet Laureatte

200 cows more than 600 hilly acres

property would have been even larger had J not sold 66 acres to DuPont for

waste from its
Washington Works factory
where J was employed
<u>did</u> not want to

sell

but needed money poor health mysterious ailments

May 2015 The Madrid Statement on Highly Fluorinated Chemicals



"We call on the international community to cooperate in limiting the production and use of PFASs and in developing safer non-fluorinated alternatives."

Signed by 230 scientists from 40 countries

2015: Environmental Health Perspectives

2015-16

The Opinion Pages OP-ED COLUMNIST

The New Hork Times

Chemicals in Your Popcorn?

JUNE 4, 2015



What do a pizza box, a polar bear and you have in common?

All carry a kind of industrial toxicant called poly- and perfluoroalkyl substances, or PFASs, that do two things: They make life convenient, and they also appear to increase the risk of cancer.







Law: Claims in the Ohio Valley

(The Teflon Toxin Goes to Court, Sharon Lerner, The Intercept)

September 2015: 3,500 personal injury and 37 wrongful death claims in Ohio Valley against DuPont went to trial

October 2015: \$1.6 million for kidney cancer.

July 2016: \$5 million for testicular cancer.

January 2017: \$10.5 million for malice

February 2017: \$671 million to settle claims in Ohio Valley

"If the chemical were really dangerous, DuPont attorneys contended, government agencies would have regulated it."

Policy: Drinking Water Levels

January 2009:

US EPA provisional level of 400 ppt for PFOA and 200 ppt for PFOS

May 2016:

US EPA Lifetime Health Advisory of 70 ppt for PFOA and PFOS

December 2016:

Vermont enforceable standard for 20 ppt for PFOA and and PFOS


September 2016:

Draft New Jersey Drinking Water Quality Institute recommended enforceable standard for PFOA of 14 ppt

April 2017:

Australian advisory level of 70 ppt for total of PFOS and PFHxS

Watersheds with point sources have higher detection frequencies for PFASs



AFFF foam in training exercises

- Drinking water of six million
 Americans contaminated with PFAS
- AFFF firefighting are a major contributor
- Air Force said:
 - "will not use AFFF foam in training"
 - "will replace all C8 foam with C6"



Is C6 an improvement over PFOA and PFOS?

C6 is called the "environmentally friendly" alternative

Concerns:

- Extreme persistence
- Bioaccumulation
- Toxicity

Concerns:

- Extreme persistence
- Bioaccumulation in plants
- Suspected toxicity
- More mobile
- Remediation more difficult

Fluorinated Alternatives?



Fluorinated Alternatives: Myths versus Facts



Long-chain highly fluorinated chemicals - including PFOA, PFOS and other C8 compounds - were used for decades to give water-repellant, stain-resistant, and non-stick properties to furnishings, carpets, outdoor gear and other products. Exposure to PFOA has been linked to kidney and testicular cancer, elevated cholesterol, decreased fertility, thyroid problems and changes in hormone functioning in adults as well as adverse developmental effects and decreased immune response in children1.

Due to such harmful effects, the long-chain chemicals were recently phased out and replaced by numerous similar compounds, including short-chain molecules called C6 and C42. Industry says these alternatives are safe, sustainable, and welltested3. A look at the facts shows those claims don't stick.

THE воттом LINE

Highly fluorinated chemicals pose a potential risk to human health and the environment, and they should only be used with safeguards when their function is essential.



MYTH: "PFOA-free" means safe.

FACT: Products advertised as "PFOA-free" often contain replacement chemicals made with the same problematic chemical building blocks as PFOA.

Since PFOA has been phased out, numerous related chemicals that are equally persistent and may pose similar health risks have replaced it⁴. To prevent such "regrettable substitutions", the entire class of highly fluorinated chemicals should be avoided.

MYTH: Short-chain fluorinated alternatives like the 6 and 4 carbon-based compounds have been thoroughly tested and are safe.


FACT: Recent studies suggest these alternatives may cause similar health problems as the long chain compounds.



www.greensciencepolicy. org/highly-fluorinatedchemicals/

Fluorine in U.S. fast food packaging paper

(percent positive; 400 products sampled)




Adopted from Schaider L. 2016 Fluorinated compounds in U.S. fast food packaging.

Should these products be considered compostable?

Press strategy for peer-reviewed articles

Communication strategy can increase media coverage and downloads

Title	Journal	Year	# Downloads	Altmetric Score
UCMR ₃ PFAS	ES&T Lett.	2016	22,851	885
Fast food PFAS	ES&T Lett.	2017	7.097	844
Never-ending story PFAS	ES&T	2017	1,611	85



Policy: New York



- New York state's new purchasing requirements for single use food containers and packaging:
 - —"...products purchased ...on State contracts shall not contain perfluorinated chemicals (PFCs)..."





BRANDS ARE ELIMINATING HIGHLY FLUORINATED CHEMICALS



Class 2: Antimicrobials

Triclosan




Triclocarban






5 – 10 Seconds (ineffective)



Lifetime exposure in aquatic organisms (toxic)



The Florence Statement on Triclosan and Triclocarban



Documents the scientific consensus about:

- potential for harm
- recommendations to prevent further harm

Signed by 205 international scientists

Class 3 Flame retardants

1970s Flammability Standards

Children's sleepwear

Furniture and baby product foam

Foam building insulation

Brominated Tris Flame Retardant

Tris (2,3-dibromopropyl) phosphate

- In children's sleepwear 1975 to 1977
- Up to 10% of the weight of fabric
- In children's urine
- Mutagen and possible carcinogen



Green Science Policy Institute www.GreenSciencePolicy.org

Flame-Retardant Additives as Possible Cancer Hazards

The main flame retardant in children's pajamas is a mutagen and should not be used.

Arlene Blum and Bruce N. Ames



CPSC Bans TRIS-Treated Children's Garments April 7, 1977

Chlorinated Tris (TDCPP) replaced Brominated Tris


- removed from children's PJ's in 1977
- used furniture until 2012

Technical Bulletin 117




 Required furniture foam to withstand a small open flame for 12 seconds


 No significant fire safety benefit (fires start in exterior fabric not filling)




PCBs (X = Cl) and PBBs (X = Br)



PBDEs



Dioxins (X = Cl or Br)




Furans (X = Cl or Br)

PentaBDE Flame Retardant

Used from 1975 to 2004 to meet TB117.

98% of use in US and Canada in 2003

From Products to People



Furniture foam flame retardant (PentaBDE) associations with human health problems — all reported after 2005

Higher pentaBDE exposures associated with:



Increased time to pregnancy
Altered thyroid hormone
Thyroid disease, esp. in post-menopausal women


Developmental toxicity

Baby boys' genital problems
Lower birth weight
Impaired attention
Poorer coordination
Lower IQ
Delayed puberty in girls
Earlier puberty in boys



Main et al. 2007; Goodyer et al 2017; Eskenazi et al., 2010, 2011, 2012; Herbstman et al. 2010; Makey et al. 2016; Windham et al. 2015; Harley et al. 2017; Allen et al. 2016

U.S. Thyroid cancer incidence and mortality: 1975 - 2014



SEER 9 Incidence & U.S. Mortality 1975-2014, All Races, Both Sexes. Rates are Age-Adjusted.


Very recent study reports elevated risks of thyroid cancer linked to exposure to Tris (142% increase) and BDE-209 (129% increase).

(Hoffman et al. Environ Int Oct 2017)


TB117 Fire Safety Benefit?

TB117 foam










"No significant, consistent difference..."

Fire & smoke toxicity increased by flame retardants

Flame retardants can delay, but do not prevent foam from burning

When foam does burn, flame retardants can increase....



Flame retardants in furniture foam can make smoke denser and more toxic.

Open flame versus smolder tests

TB117

12-second delay of ignition of filling (foam) inside furniture




Flame retardants are added to meet this small open-flame laboratory standard

TB117-2013

Most furniture fires still start with smoldering:

- Cigarettes
- Electriçal sources




Prevented by smolderresistant fabric

Increased fire safety without flame retardants



Assembly Bill 706, Senate Bill 772, Senate Bill 1291, Senate Bill147




Paid for by Californians for Fire Safety:

- Albemarle
- Chemtura
- Israel Chemicals LTD (ICL)

GREEN SCIENCE POLICY INSTITUTE

Flame retardant industry spent \$23.2 million lobbying in California alone over a 5-year period



Gross, L. Environmental Health News. Nov. 16, 2011

San Antonio Statement on Brominated and Chlorinated Flame Retardants

- Signed by over 200 scientist's from 30 countries
- Documents health and environmental harm and lack of proven fire safety benefit



Pulitzer Prize Finalist

Goldsmith Prize
Investigative Reporting

Environmental Journalists Society Environmental Reporting

Gerald Loeb Award
Business and Financial Journalism

National Press Club

Consumer Award

Chicago La Tribune



SUNDAY, MAY 6, 2012

Bir Execution worsely are contractor required from co-

TRIBUNE WATCHDOG

Playing with fire

A deceptive campaign by industry brought toxic flame retardants into our homes and into our bodies. And the chemicals don't even work as promised.



By PATRICIA CALLARAN AND SAM ROE

Provid Heinbuch Intows hour to tolk a story.

Before California Internalisms list year, the noted born surgeon draw gauge from the crowd as he described in 2-meete old beby girl who was burned in a fire started by a cradic while she by on a pillow that lacked flame returning technicals.

"Nese this is a time little person, no bigger than my Italian psybound at hume," said Heinforch, gesturing to approximate the bubys size. "Half of higt body was security burned. She ultimately died inter about three weeks of psin and misery in the hospital."

Heimbach's passimate testimony about the buby's death made the long-term health concerns along flame retaclasts voiced by doctors, environmentalists and even frefighters sound obseract and note:

But there was a problem with his testimory, it wasn't true. Records show there was no dangerous pillow or cardle fire. The boby he described (fabrice/six

Neither did the 6-week-old patient who Heinsbach told California legislators died in a candle fire in 2000. Nor did the 6-week old patient who be told. Alaska lawmakers was fatally barned in her crib in 2010.

Helinbuch is not just a prominent burn doctor. He is a star witness for the manufacturers of flame retardants.

His testimony, the Tribunfound, is part of a decades-long impulga of deception that hisloaded fire furniture and elements in American founcwith pounds of toxic chemicals lithed to correct, municipal deficits, developmental prob-

hems and impulsed feetility.

The nectics started with tigs.

Tobacous which warned to shift focus many from eigenettes as the cause of fire deaths, and pretinated as chemical componies worked to presserve a lucrative merked for their products, according to a Tribuan review of thousands of government, estimation and internal industry.

stoled the public's fear of fire and helped organize and steer an association of top fire officials that spent name than a docade campolipsing for their

Today, scientists know that some flame retendants escape from homehold products and sentle in dust. That's why notdless, who play on the floor and put things in their mosths, generally have far higher levels of these chemicals in their holdes than their naswen.

Blood bytels of certain widely used flame retardants doubled in adults every two to flore years between 1970 and 2004. More recent studies show levels between the state of the chemicals have beam pulled from the market. A typical American balty is born with the highest recorded concentrations of flame, retardants among infants.

People might be willing to accept the health risks if the



June 18, 2012

Governor Brown Directs State Agencies to Revise Flammability Standards

'We must find better ways to meet fire safety standards by reducing and eliminating - wherever possible - dangerous chemicals."

California Flammability Standard TB117-2013

Mandatory January 1, 2015

Flame retardants not needed, but can still be used

Product Labels Required

NOTICE

THIS ARTICLE MEETS THE FLAMMABILITY
REQUIREMENTS OF CALIFORNIA BUREAU OF
ELECTRONIC AND APPLIANCE REPAIR, HOME
FURNISHINGS AND THERMAL INSULATION
TECHNICAL BULLETIN 117-2013. CARE SHOULD BE
EXERCISED NEAR OPEN FLAME OR WITH BURNING
CIGARETTES.

The upholstery materials in this product:
____contain added flame retardant chemicals
X contain NO added flame retardant chemicals

The State of California has updated the flammability standard and determined the fire safety requirements for this product can be met without adding flame retardant chemicals. The State has identified many flame retardant chemicals as being known to, or strongly suspected of, adversely impacting human health or development.

PETITION HP 15-1

to the U.S. Consumer Product Safety Commission

Regarding Products Containing Organohalogen FRs

GRANTED – 20 September 2017

Declare as "banned hazardous substances" any:

- Children's products
- Residential furniture
- Mattresses & mattress pads
- Plastic electronics enclosures



containing additive, non-polymeric organohalogen FRs

The "Big Idea" CPSC approves Organohalogen Petition

Federal Register warning manufacturers, consumers, and especially those who are pregnant or with children against children's products, furniture, mattresses, and electronics cases containing organohalogenated flame retardants.

Large potential for health harm and no fire safety benefit from use of the flame retardants in these products.





















Philip Landrigan, MD

SF bans the sale of furniture and children's products containing flame retardants

In October 2017, San Francisco passed an ordinance prohibiting the sale of:

- upholstered furniture and children's products, such as high chairs, strollers, and nursing pillows, containing flame retardants.
- includes on-line sales



Class Four:

Bisphenols










FUNCTIONS: hardening agents, strengtheners, stabilizers

Phthalates









FUNCTIONS: plasticizers, lubricants, solvents, fragrances

Class 5: Some Solvents









FUNCTIONS: dissolving and dispersing other substances

Class 6: Certain Metals



FUNCTIONS: conductors, malleable, resistant to corrosion

Six Classes Videos

An innovative approach to reducing toxics



VIEW and SHARE: www.SixClasses.org
Healthier products, healthier people in four minutes!



By limiting use of the Six Classes We can have a healthier world. For more information: Green Science Policy Institute www.greensciencepolicy.org